



ENTERO RD-S X 92730 B

28439 9240 B



AVAILABLE IN

BLACK 28439 9240 B

FLEMISH BRONZE OUTDOOR 28439 9240 FBRX

FULL WHITE 28439 9240 FW

ANTHRACITE 28439 9240 N



[View on website](#)

General info

LOCATION	outdoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 76
RECESSED DEPTH (MM)	110
THICKNESS OF MOUNTING SURFACE (MM)	max.16
INGRESS PROTECTION	IP65
PROTECTION AGAINST MECHANICAL IMPACT	IK06
WEIGHT (KG)	0.28
ADJUSTABILITY	0° to 20° swiveling, 355° rotatable
INFORMATION	REFLECTOR FL-30° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 753-1041lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1041lm // 8,6W // 121lm/W
LED TECHNICS (LUMINAIRE)	650lm // 9,9W // 66lm/W

Requirements

LED POWER SUPPLY 350 / 500mA-DC DIM

Options

ENTERO RD-S MOUNTING SET S2

ENTERO RD-S X 92730 B
















28439 9240 B

Accessories

ENTERO S HONEYCOMB
 ENTERO S LINEAR SPREAD LENS
 ENTERO S SPREAD LENS
 ENTERO S SOFTENING LENS
 ENTERO S GLASS SBL

For detailed installation instructions, please consult the manual: [28439_XXXO_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit	
 System ceiling	-	
 Plasterboard	-	
 Stucanet	-	
 Wood	-	
 Concrete	 ENTERO RD-S MOUNTING SET S2	Required
 Concrete + plaster	 ENTERO RD-S MOUNTING SET S2	Required
 Lintel + plaster	 ENTERO RD-S MOUNTING SET S2	Required
 Hollow-core slab	 ENTERO RD-S MOUNTING SET S2	Required
 Hollow-core slab + plaster	 ENTERO RD-S MOUNTING SET S2	Required
 Stretched ceiling	-	

ENTERO RD-S X 92730 B

28439 9240 B

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B


21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

ENTERO RD-S X 92730 B

28439 9240 B


LED power supplies

#




300 90 63 LED POWER SUPPLY MULTI-POWER DIM9

4(4) | 4(4)




300 90 68 LED POWER SUPPLY MULTI-POWER DIM5

2(2) | 2(1)



300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9

2->6(6) | 6(4)




300 90 124 LED POWER SUPPLY MULTI-POWER DIM7

3(2) | 2(1)




300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5

2(2) | 2(1)




21012 0010 LED POWER SUPPLY MULTI POWER

2 | 2




21012 0021 LED POWER SUPPLY MULTI POWER DIM1

3 | 3



21012 0035 LED POWER SUPPLY MULTI POWER DIM5

3 | 3




21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL

3 | 3


ENTERO RD-S X 92730 B

28439 9240 B




21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

2->2 | 0




21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1




21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->3




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

2 | 2




21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8

1




21012 0318 LED POWER SUPPLY 500mA / 10W DIM8

1




21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68

2(2)




21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68

2(1)



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

2




21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

2

ENTERO RD-S X 92730 B

28439 9240 B


Light altering devices




28500 0010 ENTERO S LINEAR SPREAD LENS




28500 0020 ENTERO S SPREAD LENS



28500 0030 ENTERO S SOFTENING LENS



28500 0040 ENTERO S GLASS SBL



28500 0050 B ENTERO S HONEYCOMB SINGLE USE B

Replaceable reflector / lens



19810 0180 SPY 52 REFLECTOR 20°



19810 0190 SPY 52 REFLECTOR 45°



19810 0240 SPY 52 REFLECTOR 30°

ENTERO RD-S X 92730 B

28439 9240 B

Mounting set S2



28500 0190 ENTERO RD-S MOUNTING SET S2



Notes: