




903004.27.DF.08.0

Vetra Filis 900 Opal

Designed by

NAVA+AROSIO


Outdoor lighting solution designed to guide and enhance exterior spaces with refined illumination. Featuring a minimalist stainless-steel bollard structure and a distinctive glass element that softens and diffuses the emitted light. All structural parts are phospho-chromatised and polyester powder coated. Total height 1020 mm. Remote constant voltage 24V DC power supply needed. IP66 rating.



Light Source Technical Data

Wattage	3W
CCT	2700K
Beam Angle	diffused
Lumens	110
Finish	Wild Green
Dimming	ON/OFF
IP Rating	IP66
Coating	Polyester powder coating with phosphocromating pre-finish
Screws	Stainless steel
Transformer	Constant voltage 24V DC
Glass	OPAL
Gross Weight	1,00 Kg

Technical Feature



Integrated Accessories

Built-in accessories to be requested when ordering

example 903004.27.DF.08.0.HC

903004.27.DF.08.0. _ _



.00

NO ACCESSORY

No accessory

Remote Driver Selection

Meanwell	LPV-20-24	constant voltage 24V DC	20W	IP67	min 1 max 4
----------	-----------	-------------------------	-----	------	-------------

Meanwell	LPV-35-24	constant voltage 24V DC	35W	IP67	min 1 max 8
----------	-----------	-------------------------	-----	------	-------------

Gallery

