




909006.30.DF.08.0

Lucea Bollard Opal

Designed by

NAVA + AROSIO

Outdoor lighting solution designed to guide and enhance exterior spaces with refined illumination. Featuring a minimalist stainless-steel bollard structure and light head. All structural parts are phospho-chromatised and polyester powder coated. Total height 900 mm. Remote constant voltage 24V DC power supply needed. IP66 rating.



Light Source Technical Data

Wattage	8W
CCT	3000K
Beam Angle	Diffused
Lumens	450
Finish	Wild Green
Dimming	ON/OFF
IP Rating	IP66
Coating	Polyester powder coating with phosphocromating pre-finish
Light Source	1 x LUMENS EDC 38C COB LED
Screws	Stainless steel
Transformer	Electrical power supply 220/240V 50/60Hz built-in
Glass	OPAL
Gross Weight	4,70 Kg

Technical Feature



Integrated Accessories

Built-in accessories to be requested when ordering

example 909006.30.DF.08.0.HC

909006.30.DF.08.0. _ _



.00

NO ACCESSORY

No accessory

Remote Driver Selection

Meanwell LPV-20-28 constant voltage 24V DC 20W IP71 min 1 max 8

Meanwell LPV-35-28 constant voltage 24V DC 35W IP71 min 1 max 12

Gallery

