

Bellhop Glass S2


Designed by Edward Barber and Jay Osgerby, 2025

LED retrofit - 30W



Suspension lamp emitting direct and diffused light. Features a triplex opaline glass diffuser formed from three simultaneously blown layers of variable thickness. Lower opening protected by an aluminium ring to shield the bulb from direct view and create accent lighting on the surfaces below the lamp.

One of Edward Barber and Jay Osgerby's most iconic designs for Flos, Bellhop has evolved from a playful portable lamp into a full family of light. Bellhop Glass reimagines the archetype in triplex opaline glass and metal, materials that give the lamp greater scale, substance and atmosphere. The mouth-blown diffuser allows the entire surface to glow with even warmth. Table, ceiling and suspension versions transform the youthful spirit of the original into a more architectural presence, while evoking the intimacy of candlelight that first inspired the design.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607068670
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	LED retrofit
Lamp holders	E27
Ilcos	HSGSA
Number of lamps	1
Power (W)	30
System power (W)	30

Physical

Colour	Cioko
Orientation	Fixed
Length (mm)	450
Cord colour	Grey
Cord length (mm)	2700
Canopy length/diameter (mm)	132
Canopy height (mm)	31
Net weight (kg)	6.7
Package volume (m3)	0.14
IP internal	20

Download

[Mounting instructions](#) [Download PDF](#)

[Mounting instructions](#) [Download PDF](#)

Photometric Files

[LDT / IES](#) [Download ZIP](#)


Technical Drawings

[2D](#) [Download ZIP](#)


[3D](#) [Download ZIP](#)

Ecodesign and Energy Labelling

 Replaceable (LED only) light source by an end-user



Schematic light drawing




Photometric

Lighting type	Total
Light distribution	Symmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs




NOT INCLUDED

RF36503

LED 25W E27 3700lm 2700K 240°

DIMMER

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Bellhop Glass S cioko ceiling rose assembly | RF1081126 |
| 02. | Steel cable 3 meters | RF36887 |
| 04. | Bellhop Glass S2 white diffuser brown ring | F1083026 |

***To be replaced only by authorised service centres or qualified professionals.**



RF1081126
Bellhop Glass S cioko ceiling rose
assembly



RF36887
Steel cable 3 meters



F1083026
Bellhop Glass S2 white diffuser
brown ring