

FLOS

 F012J00C059 Brass

IC Ceiling Wall 2 Outdoor Brass Finish NEW

Designed by Michael Anastassiades



Light source excluded. Optional LED bulb sold separately. Wall mounting system contains the wiring system. Watertight cable gland included.

Are you a professional and your project needs consulting and support?



[BOOK AN APPOINTMENT](#)

Main specifications


Mounting	Ceiling and wall surface
Environment	Outdoor wet location
Lamp category	LED retrofit
Ilcos	No

Physical

Colour	Brass
Trim	No
Orientation	Fixed
Net weight (kg)	3.8
IP internal	65



Schematic light drawing



Download

Mounting instructions [ZIP](#)

Photometric Files

LDT / IES [ZIP](#)

Technical Drawings

2D [ZIP](#)

3D [ZIP](#)

[Bim](#) [ZIP](#)

Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	I
Frequency (Hz)	50-60
Main voltage (Vac)	220-240
Dimmable	Yes
Emergency type	No

Notes

Bulb not included. LED: max 15W - E27

Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38



NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38