


SuperWire T

Designed by Formafantasma, 2024

18W - 1200lm - 2700K - CRI> 90

Table lamp emitting diffused light. Structure of planar glass hexagonal panels joined by polished aluminium elements, forming a single module surmounted by a hexagonal glass cover. Equipped with a custom-made light source that emits warm, uniform light along its entire length and can be easily removed for replacement or repair.

Formafantasma's SuperWire is born from the designers' experimentation with LED technology, resulting in a modular collection that merges an industrial attitude with timeless design codes. Stemming from a complex creative process, it reflects the studio's blend of poetic aesthetics with environmental commitment and is a rare example of a lighting design with a removable, replaceable LED light source. The floor version is a tribute to the historic Luminator by the Castiglioni brothers.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607070222       |
| Mounting               | Table               |
| Environments           | Indoor dry location |
| Light source type      | LED                 |
| Light sources included | Yes                 |
| LED type               | Filament LED        |
| Power (W)              | 18                  |
| System power (W)       | 18                  |
| Lumen Output (lm)      | 1200                |

### Physical

|                     |       |
|---------------------|-------|
| Colour              | Steel |
| Length (mm)         | 449   |
| Cord colour         | Clear |
| Cord length (mm)    | 2000  |
| Net weight (kg)     | 9     |
| Package volume (m3) | 0.23  |
| IP internal         | 20    |

Download

Mounting instructions  PDF

Photometric Files


ULD  ULD

LDT / IES  ZIP


Technical Drawings

2D  ZIP

3D  ZIP



Schematic light drawing



Photometric


|                    |            |
|--------------------|------------|
| Lighting type      | Total      |
| Light distribution | Asymmetric |
| CCT (K)            | 2700       |
| CRI>               | 90         |
| Extreme cut off    | No         |

Electrical


|                    |                                     |
|--------------------|-------------------------------------|
| Insulation class   | III                                 |
| Frequency (Hz)     | 50/60                               |
| Main voltage (Vac) | 100-240                             |
| Power supply       | Remote included                     |
| Dimmable           | Yes                                 |
| Power supply type  | Dimmable                            |
| Dimming interface  | Switch Integrated (Remote Dimmable) |
| Plug type          | Type A, Type C, Type G              |
| Batteries inside   | No                                  |

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Spare Parts



- |     |                                                            |               |
|-----|------------------------------------------------------------|---------------|
| 01. | Superwire Table diffuser assembly                          | D301T04A0AASZ |
| 02. | Superwire Table short glass plate and bushings             | RF301T400     |
| 03. | Superwire Table short glass plates and bushings kit 6 pcs  | RF301T500     |
| 04. | Superwire Table Led L450 25MA/42VDC/27K filament           | RF301T200     |
| 05. | Superwire Table Led L450 25MA/42VDC/27K filament kit 6 pcs | RF301T300     |
| 06. | Black plug assembly kit & 48V driver                       | RF6600130     |
| 07. | Superwire Kit with special screws                          | RF301T100     |



D301T04A0AASZ

Superwire Table diffuser  
assembly



RF301T400

Superwire Table short glass plate  
and bushings



RF301T500

Superwire Table short glass  
plates and bushings kit 6 pcs



RF301T200

Superwire Table Led L450  
25MA/42VDC/27K filament



RF301T300

Superwire Table Led L450  
25MA/42VDC/27K filament kit 6  
pcs



RF6600130

Black plug assembly kit & 48V  
driver



RF301T100

Superwire Kit with special screws