


Circle of Light Soft Plate 900 mm

Designed by FLOS Architectural, 2013

Lighting system, seamless ceiling mounted, for 36 individual LED lighting spots. Set of 12 spots, complete with junction box, power supply and cables, has to be ordered separately. The 1-10V version is dimmable from 10% to 100%.



Are you a professional and your project needs consulting and support?



BOOK AN APPOINTMENT

Main specifications

Mounting	Ceiling recessed
Environment	Indoor dry location
Ilcos	No
Number of heads	36

Physical

Colour	Raw
Trim	No
Recessed depth (mm)	150
Length (mm)	1300
Net weight (kg)	28.80
IP internal	20



Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Driver	Remote excluded
--------	-----------------

Download

Mounting instructions [Download PDF](#)

Photometric Files

LDT / IES [Download ZIP](#)

Technical Drawings

2D [Download ZIP](#)

3D [Download ZIP](#)

Notes

Accent Lighting and General Lighting: 3 units must be ordered (accessories).

Accessories & Power Supply



REQUIRED
Accessory

08.8662.14C

Accent Lighting. Set of 12 spots x
325 lm 2700K CRI 90



REQUIRED
Accessory

08.8662.14C1V

08.8662.14C1V



REQUIRED
Accessory

08.8662.14CDA

Accent Lighting. Set of 12 spots x
325 lm 2700K CRI 90. Dimmable
DALI



REQUIRED
Accessory

08.8663.14C

General Lighting. Set of 12 spots x
325 lm 2700K CRI 90



REQUIRED
Accessory

08.8663.14C1V

08.8663.14C1V



REQUIRED
Accessory

08.8663.14CDA

General Lighting. Set of 12 spots x
325 lm 2700K CRI 90. Dimmable
DALI



REQUIRED
Accessory

Electrical

08.8572.14D

Accent Lighting 3000K. Set of 12
spots for circle of light. Non
Dimmable



REQUIRED
Accessory

Electrical

08.8572.14D1V

Accent Lighting 3000K. Set of 12
spots for circle of light. Dimmable
1-10V



REQUIRED
Accessory

Electrical

08.8572.14DDA

Accent Lighting 3000K. Set of 12 spots for circle of light. Dimmable DALI



REQUIRED
Accessory

Electrical

08.8573.14DDA

General Lighting 3000K. Set of 12 spots for circle of light. Dimmable Dali



REQUIRED
Accessory

Electrical

08.8573.14D

General Lighting 3000K. Set of 12 spots for circle of light. Non Dimmable



REQUIRED
Accessory

Electrical

08.8573.14D1V

General Lighting 3000K. Set of 12 spots for circle of light. Dimmable 1-10V