FLOS

09.2999.30 White

Solid Pure Track No Dimmable

Designed by Knud Holscher, 2014

LED - LED array - 30W - 2457lm - 3000K - CRI> 90 - Beam° 44

Spotlight to be installed on 3-phase track with LED light source. 220-240V, 50-60Hz power supply included.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

Mounting	Track
Enviroment	Indoor dry location
LED type	LED array
Lamp category	LED
Ilcos	No
Number of heads	1
Power (W)	30
Source flux (lm)	2945
System flux (lm)	2457

Physical

Colour	White
Trim	No
Orientation	Adjustable
Rotation (°)	360
Net weight (kg)	1.70
IP internal	20
IP external	20

Download

Mounting instructions PDF

Photometric Files

LDT / IES ZIP

Technical Drawings

2D ZIP

3D ZIP

EAC CE RETILAP UKCA 03 IP 20 GWT 850° IP 20

©2022 Flos - P.IVA 00290820174 - 3/7/2023

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Schematic light drawing



Luminous flux luminaire
2457 lm

Beam Angle: 44°

h(m)	E(lx)	D(m)
1	5190	0.80
2	1298	1.61
3	577	2.41
4	324	3.22
5	208	4.02

Photometric

Lighting type	Direct
Light distribution	Symmetric
CCT (K)	3000
CRI>	90
Beam angle C0-180 (°)	44
Beam angle C90-270 (°)	44

Electrical

Insulation class	I
Frequency (Hz)	50/60
Driver	Integrated
Dimmable	No
Dimming type	Non Dimmable
Emergency type	No

©2022 Flos - P.IVA 00290820174 - 3/7/2023

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Accessories & Power Supply



OPTIONAL
Accessory

08.8766.67.OD

Red filter

OPTIONAL
Accessory

08.8763.14

Honeycomb anti-glare screen



OPTIONAL
Accessory

08.8766.64.OD

Blue filter



OPTIONAL
Accessory

08.8766.65.OD

Sky blue filter



OPTIONAL
Accessory

08.8766.66.OD

Amber filter

OPTIONAL
Accessory

08.8768.14

Holding ring

OPTIONAL
Accessory

60.3022.11

Recessed box for fix-point

OPTIONAL
Accessory

60.3022.14

Recessed box for fix-point

©2022 Flos - P.IVA 00290820174 - 3/7/2023

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

OPTIONAL
Accessory

60.3023.11

Fix-point

OPTIONAL
Accessory

60.3023.14

Fix-point

OPTIONAL
Accessory

60.3023.29

Fix-point

©2022 Flos - P.IVA 00290820174 - 3/7/2023

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.