

UNTITLED MINI SPOT

Bernhard Osann

A definitive synthesis of mechanics and lighting technology, this design is clean and essential, with miniaturized joints that allow for extreme flexibility of movement. The Linear version has been designed explicitly with optics to ensure maximum visual comfort in work environments.



2700K

LAMPING

Source	LED spot
Total power	5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature led	2700K
Luminous flux led	495lm
Typ CRI	90
Ip class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic, 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054
Accessories	Desk clamp, Table base, Wall fixing,

Codes

- UNT LN2 16
- UNT LW2 16
- UNT LD2 16
- UNT LG2 16

Structure

- black
- white
- titan grey
- gold

Certificazioni



BASE



DESK CLAMP



WALL FIXING



3000K

LAMPING

Source	LED spot
Total power	5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature led	3000K
Luminous flux led	495lm
Typ CRI	90
Ip class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054

Accessories Desk clamp, | Table base, | Wall fixing,

Codes

- UNT LNN 16
- UNT LWW 16
- UNT LDD 16
- UNT LGG 16

Structure

- black
- white
- titan grey
- gold

Certificazioni

